



MINI300 Product Specification

MINI300 is a professional 300M Mini WiFi repeater that is elaborately developed by HouTian Network, **the original creation D/A temperature compensated auto frequency control technology (TAFC)**, it solved the common failing of the traditional wifi signal or wifi products that easily drop the network, make sure the lasting stability to ensure that the WiFi signal is not dropped. It is based on IEEE 802.11N standard, can extend WiFi Network range, provides the stable transmission up to 300Mbps, also is compatible with IEEE 802.11B and IEEE 802.11G standard.

MINI300 is an environmentally and safe WiFi signal repeater. Working in the repeater mode, MINI300 can be doubled to extend the original WiFi signal coverage, while it can ensure the security of the wireless signal, its working principle is: at the edges of the original WiFi hot spot signal coverage, the MINI300 that in "repeater mode " is able to receive weak WiFi signal, and then zoom in to the normal, safe strength, and after optimization, error correction processing, to achieve signal coverage distance doubled extension under safe. This differs from traditional wireless signal amplifier - only amplifies the signal and ignore the wireless security.

- * Environmental, Safe, Portable, Mini
- * Support 802.11b/g/n WiFi transmission protocol, 300Mbps rate of transmission
- * Professional Intelligent WiFi repeater
- * WiFi intelligent bridge function, Wireless switch wired, wired switch wireless, intelligent switch;
- * WiFi intelligent repeater mode, it supports WiFi hot spots scan automatically and WiFi hot spot memory function
- * Support WEB remote firmware upgrade, can get the latest firmware free
- * Support local WEB management, Chinese and English configuration interface
- * It can be USB powered, easy to use mobile power supply
- * Adopt **the original creation D/A temperature compensated auto frequency control technology (TAFC)** ,make sure the lasting stability to ensure that the WiFi signal is not dropped
- * Original creation VDNS virtual domain configuration technology to solve the user's trouble of configuration
- * Support connecting more than 20pcs WiFi terminal at the same time.
- * Support WPA-PSK/WPA2-PSK、64/128/WEP security mechanism.
- * The transmission distance (without obstacle) : 100m

In the software operation, Houtian network uphold the consistent simple, user-friendly design, abandoned the verbose of IP setup for traditional wireless repeater, using the




virtual domain configuration techniques(VDNS)configuration, and also support the use of IE browser configuration and PC-specific software configuration(no IP connection), on the steps, it is even more concise, no redundant operations, which greatly facilitates the use of different levels of user.

Hardware Spec	
Protocol Standard	IEEE 802.11g, IEEE 802.11b, IEEE 802.11n
Rate of transmission	300Mbps
Interface	1 micro USB port, connect USB cable for charging; 1 10/100M adaptive Ethernet female
Button	Reset button (long press 5 seconds)
LED	Status instruction: WiFi state and Hot spot connection state (blue light); Ethernet port state (light green for success);
Antenna	Built-in 2pcs Smart omnidirectional 2dbm Antennas
Size	43mm x 43mm x 14mm (L x W x H)

Wireless Related	
Basic functions	Channel option: 1-14; WiFi Hot spot scan automatically; WiFi Hot spot memory;
Working Mode	WiFi Intelligent repeater mode: Repeater mode (WiFi signal repeater), it can extend the distance of WiFi transfer
Wireless security	64/128/WEP encryption WPA-PSK/WPA2-PSK、WPA/WPA2 security mechanism
System function	Restart device Reset factory Administrative account and password revise Firmware upgrade

MINI300 home wireless signal expand application, as follows:



TOP 1

Product pictures, as follows:



Picture 1



Picture 2